

ARTICLE 6 OFF-STREET PARKING AND LOADING

601. REQUIRED NUMBER OF PARKING SPACES.

601.A. Overall Requirements.

- I. Number of Spaces. Each use that is newly developed, enlarged, significantly changed in type or increased in number of establishments shall provide and maintain off-street parking spaces in accordance with Table 6.1 and the regulations of this Article.
2. Uses Not Listed. Uses not specifically listed in Table 6.1 shall comply with the requirements for the most similar use listed in Table 6.1, unless the applicant proves to the satisfaction of the Zoning Officer that an alternative standard should be used for that use.
3. Multiple Uses. Where a proposed lot contains or includes more than one type of use, the number of parking spaces required shall be the sum of the parking requirements for each separate use.

TABLE 6.1 - OFF-STREET PARKING REQUIREMENTS

USE	NUMBER OF OFF-STREET PARKING SPACES REQUIRED	PLUS 1 OFF-STREET PARKING SPACE FOR EACH:
A. RESIDENTIAL USES:		
I. Dwelling Unit, other than types listed separately in this table.	1.5 per dwelling unit*, except 1 per conversion apartment that only includes one bedroom or is an efficiency unit. * Note: If desired, one space may be in a garage and one space in a driveway.	
2.. Home Occupation	See Section 403	
3. Housing Permanently Restricted to Persons 55 Years and Older and/or the Physically Handicapped	1 per dwelling/ rental unit, except 0.4 per dwelling/ rental unit if evidence is presented that the non-physically handicapped persons will clearly primarily be over 70 years old	Non-Resident Employee
4. Boarding House	1 per rental unit or bed for adult, whichever is greater	Non-Resident Employee
5. Group Home	See Section 402	
C. INSTITUTIONAL USES:		
1. Place of Worship or Church	1 per 4 seats in room of largest capacity	Employee
2. Hospital	1 per 2 beds	1.2 Employees
3. Nursing Home	1 per 6 beds	1.2 Employees
4. Personal Care Home	1 per 4 beds	1.2 Employees
5. Day Care Center	1 per 10 children, with spaces designed for safe and convenient drop-off and pick-up	1.2 Employees
6. School, Primary or Secondary	1 per 4 students aged 16 or older	Employee

USE	NUMBER OF OFF-STREET PARKING SPACES REQUIRED	PLUS 1 OFF-STREET PARKING SPACE FOR EACH:
7. Utility Facility	1 per vehicle routinely needed to service facility	
8. College, University or Trade School	1 per 1.5 students not living on campus who attend class at peak times (plus required spaces for on-campus housing)	Employee
9. Library, Community Center or Cultural Center or Museum	1 per 4 seats (or 1 per 250 sq. ft. of floor area accessible to patrons and/or users if seats are not typically provided)	Employee
10. Treatment Center	1 per 2 residents aged 16 years or older plus 1 per non-resident intended to be treated on-site at peak times	Non-Resident Employee
11. Swimming Pool, Non- Household	1 per 40 sq. ft. of water surface, other than wading pools	Employee
C. COMMERCIAL USES:	All commercial uses, as applicable, shall provide additional parking or storage needed for maximum number of vehicles stored, displayed or based at the lot at any point in time. These additional spaces are not required to meet the stall size and parking aisle width requirements of this Ordinance.	
1. Auto Service Station or Repair Garage		Employee; plus any parking needed for a convenience store under "retail sales"
2. Auto, Boat, Recreational Vehicle or Manufactured Home Sales	1 per 15 vehicles, boats, Rvs or homes displayed	Employee
5. Bed and Breakfast Use	1 per rental unit plus the 2 per dwelling unit	Non-resident employee
6. Bowling Alley	2 per lane plus 2 per pool table	1.2 Employees
7. Car Wash	2 per washing lane or stall, which may be located in drying or vacuuming areas	1.2 Employees
8. Financial Institution (includes bank)	1 per 200 sq. ft. of floor area accessible to customers, plus 3 convenient spaces for each automatic banking transaction machine	Employee
9. Funeral Home	1 per 5 seats in rooms intended to be in use at one time for visitors	Employee
10. Miniature Golf	2 per hole	1.2 Employees
11. Haircutting/ Hairstyling	2 per customer seat used for haircutting, hair styling, hair washing, manicuring or similar work	1.2 Employees

USE	NUMBER OF OFF-STREET PARKING SPACES REQUIRED	PLUS 1 OFF-STREET PARKING SPACE FOR EACH:
12. Hotel or Motel	1 per rental unit plus 1 per 4 seats in any meeting room (plus any required by any restaurant)	1.2 Employees
13. Laundromat	1 per 3 washing machines	On-site Employee
14. Offices or clinic, Medical/dental	5 per physician and 4 per dentist	1.2 Employees
15. Offices, other than above	1 per 300 sq. ft. of total floor area	
16. Personal Service Use, other than haircutting/ hairstyling (min. of 2 per establishment)	1 per 200 sq. ft. of floor area accessible to customers	Employee
17. Indoor Recreation (other than bowling alley), Membership Club or Exercise Club	1 per 4 persons of maximum capacity of all facilities	Employee
18. Outdoor Recreation (other than uses specifically listed in this table)	1 per 3 persons of capacity (50% may be on grass overflow areas with major driveways in gravel)	1.2 Employees
19. Restaurant	1 per 4 seats	1.2 Employees
20. Retail Sales (other than Types separately listed)	1 per 200 sq. ft. of floor area of rooms accessible to customers.	
21. Retail Sales of Only Furniture, Lumber, Carpeting, Bedding or Floor Covering	1 per 400 sq.ft. of floor area accessible to customers	
22. Tavern	1 per 30 sq. ft. of total floor area	1.2 Employees
23. Theater or Auditorium	1 per 4 seats, one-half of which may be met by convenient parking shared with other business uses on the same lot that are typically not routinely open beyond 9:30 p.m.	1.2 Employees
24. Trade/Hobby School	1 per 2 students on-site during peak use	1.2 Employee
25. Veterinarian Office	5 per veterinarian	1.2 Employee
E. INDUSTRIAL USES: All industrial uses (including warehousing, distribution and manufacturing)	In addition to parking or storage needed for maximum number of vehicles stored, displayed or based at the lot at any point in time, which spaces are not required to meet the stall size and aisle width requirements of this Ordinance 1 per 1.2 employee, based upon the maximum number of employees on-site at peak period of times	1 visitor space for every 10 managers on the site
Self-Storage Development	1 per 20 storage units	1.2 Employee

602. GENERAL REGULATIONS FOR OFF-STREET PARKING.

- 602.A. General. Parking spaces and accessways shall be laid out to result in safe and orderly use, and to fully take into account all of the following: vehicular access onto and off the site, vehicular movement within the site, loading areas, pedestrian patterns and any drive-thru facilities. No parking area shall cause a safety hazard or impediment to traffic off the lot.
- 602.B. Existing Parking. Any parking spaces serving such pre-existing structures or uses at the time of adoption of this Ordinance shall not in the future be reduced in number below the number required by this Ordinance.
- 602.C. Change in Use or Expansion. A structure or use in existence at the effective date of this Ordinance that expands or changes in use of an existing principal building shall be required to provide all of the required parking for the entire size and type of the resulting use, except as follows:
1. If an existing lawful use includes less parking than would be required, then that deficit of parking shall be grandfathered for new uses. For example, if an existing store included 3 parking spaces and was required to provide 7 spaces, there is a deficit of 4 spaces. Therefore, if that store is converted to an office that would need 10 spaces, the office would need to provide a total of 6 spaces (10 minus the pre-existing deficit of 4).
 2. If a use expands by an aggregate total maximum of 10 percent in the applicable measurement (such as building floor area) beyond what existed at the time of adoption of this Ordinance, then no additional parking is required.
- 602.D. Continuing Obligation of Parking and Loading Spaces. All required numbers of parking spaces and off-street loading spaces shall be available as long as the use or building which the spaces serve still exist, and such spaces shall not be reduced in number below the minimum required by this ordinance. No required parking area or off-street loading spaces shall be used for any other use (such as storage or display of materials) that interferes with the area's availability for parking.
- 602.E. Location of Parking. Required off-street parking spaces shall be on the same lot or abutting lot with the principal use served, unless the applicant proves to the satisfaction of the Zoning Hearing Board that a method of providing the spaces is guaranteed to be available during all of the years the use is in operation within 400 feet of the entrance of the principal use being served. The Zoning Hearing Board may require that the use be approved for period of time consistent with the lease of the parking, and that a renewal of the permit shall only be approved if the parking lease is renewed.

603. DESIGN STANDARDS FOR OFFSTREET PARKING.

603.A. General Requirements.

1. Backing Onto a Street. No parking area shall be designed to require or encourage parked vehicles to back into a public street in order to leave a parking space, except for a single family or two-family dwelling with its access onto a local street or parking court. Parking spaces may back onto an alley.
2. Every required parking space shall be designed so that each motor vehicle may proceed to and from the parking space provided for it without requiring the moving of any other vehicle, except for spaces serving a single family, twin or townhouse dwelling.
3. Parking areas shall not be within a required buffer yard or street right-of-way.
4. Separation from Street. Except for parking spaces immediately in front of individual dwellings, all areas for off-street parking, off-street loading and unloading and the storage or movement of motor vehicles shall be physically separated from the street by a continuous grass or landscaped planting strip, except for necessary and approved vehicle entrances and

exits to the lot.

- 5. Stacking and Obstructions. Each lot shall provide adequate area upon the lot to prevent back-up of vehicles on a public street while awaiting entry to the lot, or while waiting for service at a drive-thru facility.

603.B. Size and Marking of Parking Spaces.

- 1. Each parking space shall be a rectangle with a minimum width of 9 feet and a minimum length of 18 feet, except the minimum length shall be 22 feet for parallel parking.
- 2. Where a provision of this Article 6 is in direct conflict with a parking provision of the Borough Subdivision and Land Development Ordinance, then only the requirements of this Zoning Ordinance shall apply.
- 3. All paved spaces shall be marked to indicate their location, except those of a one or two family dwelling.

603.C. Aisles.

- 1. Each aisle providing for one-way traffic to access parking stalls shall have the following minimum width:

Angle of Parking	Minimum Aisle Width
Parallel or 30 degrees	12 feet
45 degrees	14 feet
60 degrees	18 feet
90 degrees	20 feet

- 2. Each aisle providing access to stalls for two-way traffic shall be a minimum of 24 feet in width, except a width of 20 feet may be allowed for parking areas with spaces that are parallel or involve an angle of parking of 45 degrees or less.

603.D. Access Drives and Driveways.

- 1. Width of Driveway/Accessway at Entrance onto a Public Street, at the edge of the cartway* 1-Way Use 2-Way Use

Minimum	12 feet *	25 feet *
Maximum	20 feet *	30 feet *

* Unless a different standard is required by PennDOT for an entrance to a State road, or the applicant proves to the satisfaction of the Zoning Officer that a wider width is needed for tractor-trailer trucks.

- 2. Drainage. Adequate provisions shall be made to maintain uninterrupted parallel drainage along a public street at the point of driveway entry. The Borough may require an applicant to install an appropriate type and size of pipe at a driveway crossing.

603.E. Paving, Grading and Drainage.

- 1. Parking and loading facilities and including driveways shall be graded and adequately drained to prevent erosion or excessive water flow across streets or adjoining properties.
- 2. Except for landscaped areas, all portions of required parking, loading facilities and driveways shall be surfaced with asphalt or concrete or paving block with the exception of driveways or parking areas serving 1 or 2 family dwellings.

603.F. Lighting of Parking Areas. See "Light and Glare Control" in Article 5.

603.G. Handicapped Parking.

1. Number of Spaces. Any lot including 4 or more off-street parking spaces shall include a minimum of one handicapped space. The following number of handicapped spaces shall be provided, unless a revised regulation is officially established under the Federal Americans With Disabilities Act:

TOTAL NO. OF PARKING SPACES ON THE LOT	REQUIRED MINIMUM NO./ PERCENT OF HANDICAPPED PARKING SPACES
4 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1,000	2% of required number of spaces
1,001 or more	20 plus 1% of required number of spaces over 1,000

2. Location. Handicapped parking spaces shall be located where they would result in the shortest reasonable accessible distance to a handicapped accessible building entrance. Curb cuts shall be provided as needed to provide access from the handicapped spaces.
3. Minimum Size. Each required handicapped parking space shall be 8 by 18 feet. In addition, each space shall be adjacent to a 5 feet wide access aisle. Such access aisle may be shared by two handicapped spaces by being placed between them. However, 1 out of every 8 required handicapped parking spaces shall have an adjacent access aisle of 8 feet width instead of 5 feet.
4. Slope. Handicapped parking spaces shall be located in areas of less than 6 percent slope in any direction.
5. Marking. All required handicapped spaces shall be well-marked by clearly visible signs or pavement markings. Blue paint is recommended.
6. Paving. Handicapped parking spaces and adjacent areas needed to access them with a wheelchair shall be covered with a smooth surface that is usable with a wheelchair.

604. OFF-STREET LOADING.

- 604.A. Each use shall provide off-street loading facilities, which meet the requirements of this Section, sufficient to accommodate the maximum demand generated by the use and the maximum size vehicle, in a manner that will not routinely obstruct traffic on a public street. If a reasonable alternative does not exist, traffic may be obstructed for occasional loading and unloading along an alley.

- 604.B. At the time of review under this Ordinance, the applicant shall provide evidence to the Zoning Officer on whether the use will have sufficient numbers and sizes of loading facilities. The Planning Commission and/or Borough Council may provide advice to the Zoning Officer on this matter as part of any plan review by such boards. For the purposes of this Section, the words "loading" and "unloading" are used interchangeably.
- 604.C. Each space and the needed maneuvering room shall not intrude into approved buffer areas and landscaped areas.
- 604.D. Fire Lanes. Fire lanes shall be provided where required by State or Federal regulations or other local ordinances. The specific locations of these lanes are subject to review by borough Fire Officials.